


CRF Errors Corrected, by the STIC Systems Branch

1645 0590  
5/15/2001 #14

Serial Number: 09/785,632A

CRF Processing Date: 5/15/2001  
Edited by: A  
Verified by: (STIC staff)

ENTERED



☐ Changed the margins in cases where the sequence text was wrapped down to the next line.

☐ Edited a format error in the Current Application Data section, specifically:

☐ Edited the Current Application Data section with the actual current number. The number inputted by the applicant was ☐ the prior application data; or ☐ other \_\_\_\_\_

☐ Added the mandatory heading and subheadings for "Current Application Data".

☐ Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integer.

☐ Changed the spelling of a mandatory field (the headings or subheadings), specifically: \_\_\_\_\_

☐ Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were: \_\_\_\_\_

☐ Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited: \_\_\_\_\_

☐ Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.

☐ Inserted colons after headings/subheadings. Headings edited included: \_\_\_\_\_

☐ Deleted extra, invalid, headings used by an applicant, specifically: \_\_\_\_\_

☐ Deleted: ☐ non-ASCII "garbage" at the beginning/end of files; ☐ secretary initials/filename at end of file;  
☐ page numbers throughout text; ☐ other invalid text, such as \_\_\_\_\_

☐ Inserted mandatory headings, specifically: \_\_\_\_\_

☒ Corrected an obvious error in the response, specifically:

Seq 88 - corrected (2137 response)

☐ Edited identifiers where upper case is used but lower case is required, or vice versa.

☐ Corrected an error in the Number of Sequences field, specifically: \_\_\_\_\_

☐ A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.

☐ Deleted *ending* stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (error due to a PatentIn bug). Sequences corrected: \_\_\_\_\_

☒ Other:

Seq 77 - moved <2237 responses to one line each

\*Examiner: The above corrections must be communicated to the applicant in the first Office Action. DO NOT send a copy of this form.

3/1/95

RECEIVED

JUN 12 2001

TECH CENTER 1600/2900